

S10 Series



Industrial Interchange Quick Disconnect Couplings

Accessories

Part Number	Body O-Ring	Body Back-Up	Dust Cap (Protects Tip) Heavy Duty Steel	Dust Plug (Protects Body) Heavy Duty Steel
S10-1	S1060B-1	S1061T-1	S19-1	S14-1
S10-2	S1060B-2	S1061T-2	S19-2	S14-2
S10-3	S1060B-3	S1061T-3	S19-3	S14-3
S10-4	S1060B-4	S1061T-4	S19-4	S14-4
S10-6	S1060B-6	S1061T-6	S19-6	S14-6
S10-8	S1060B-8	S1061T-8	S19-8	S14-8

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).



SH20 Series

Quick Disconnect Couplings, General Purpose



Accessories

Part Number	Body O-Ring	Dust Cap (Protects Tip) Rubber with Chain	Dust Plug (Protects Body) Rubber with Chain
SH20-2 (P)	S460-2	S49-2	S44-2
SH20-14 (P)	S460-2	S49-2	S44-2

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available for most models. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).



S20 Series

Quick Disconnect Couplings, General Purpose



Accessories

Part Number	Body O-Ring	Dust Cap (Protects Tip) Rubber with Chain	Dust Plug (Protects Body) Rubber with Chain	Clamp
S20A-2 (P)	S460-2	S49-2	S44-2	
S20-3 (P)	S460-3	S49-3	S44-3	
S20-4 (P)	S460-4	S49-4	S44-4	S42-4
S20-15 (P)	S460-4	S49-4	S44-4	S42-4
S20-16 (P)	S460-4			
S20F-6	S260-6			

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available for most models. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).



Break-away Clamps

Safeway's heavy-duty double break-away clamps allow one-hand connection when used with two-way sleeve style agricultural quick couplings. They also allow implement break-away when used with either one-way or two-way sleeve agricultural designs. Double break-away clamps are available for 3/8" and 1/2" body size agricultural quick couplings.



S30 Series



Quick Disconnect Couplings, Industrial Interchange, Screw Type

Accessories

Part Number	Body O-Ring	Body Back-Up	Dust Cap (Protects Tip) Heavy Duty Steel	Dust Plug (Protects Body) Heavy Duty Steel
S30-2P	S360-2	S361-2	S39-2	S34-2
S30-3P	S360-3	S361-3	S39-3	S34-3

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available for most models. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).



S40 Series



Quick Disconnect Couplings, Standard Interchange

Accessories

Part Number	Body O-Ring	Dust Cap (Protects Tip) Rubber with Chain	Dust Plug (Protects Body) Rubber with Chain	Clamp	Bulkhead Ring
S40-2 (P)	S460-2	S49-2	S44-2		S43-2
S40-3 (P)	S460-3	S49-3	S44-3	S42-3	S43-3
S40-4 (P)	S460-4	S49-4	S44-4	S42-4	S43-4
S40-15 (P)	S460-4	S49-4	S44-4	S42-4	S43-4
S40-6 (P)	S460-4	S49-4	S44-4	S42-4	S43-4

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available for most models. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).



Break-away Clamps

Safeway's heavy-duty double break-away clamps allow one-hand connection when used with two-way sleeve style agricultural quick couplings. They also allow implement break-away when used with either one-way or two-way sleeve agricultural designs. Double break-away clamps are available for 3/8" and 1/2" body size agricultural quick couplings. Bulkhead mounting rings provide for bulkhead mounting (up to 1/8" thick) of S40 Series and S70 Series female couplers.



S70 Series



Quick Disconnect Couplings, Pressure Connect

Accessories

Part Number	Body O-Ring	Dust Cap (Protects Tip) Rubber with Chain	Dust Plug (Protects Body) Rubber with Chain	Clamp	Bulkhead Ring
S70-4 (P)	S760-4	S49-4	S44-4	S42-4	S43-4
S70-15 (P)	S760-4	S49-4	S44-4	S42-4	S43-4
S70-16 (P)	S760-4	S49-4	S44-4	S42-4	S43-4

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available for most models. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).



Break-away Clamps

Safeway's heavy-duty double break-away clamps allow one-hand connection when used with two-way sleeve style agricultural quick couplings. They also allow implement break-away when used with either one-way or two-way sleeve agricultural designs. Double break-away clamps are available for 3/8" and 1/2" body size agricultural quick couplings. Bulkhead mounting rings provide for bulkhead mounting (up to 1/8" thick) of S40 Series and S70 Series female couplers.



S56 Series



Quick Disconnect Couplings, Standard Interchange, Push-Pull

Accessories

Part Number	Body O-Ring	Body Back-Up	Dust Cap (Protects Tip) Heavy Duty Steel	Dust Plug (Protects Body) Heavy Duty Steel
S56-2	S5660B-2	S5661T-2	S59-2	S54-2
S56-3	S5660B-3	S5661T-3	S59-3	S54-3
S56-4	S5660B-4	S5661T-4	S59-4	S54-4
S56-6	S5660B-6	S5661T-6	S59-6	S54-6
S56-8	S5660B-8	S5661T-8	S59-8	S54-8

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available for most models. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).



FF49 Series



Quick Disconnect Couplings, Flat Face

Accessories

Part Number	Seal Kit	Dust Cap (Protects Tip) Rubber with Chain	Dust Plug (Protects Body) Rubber with Chain
FF49-3	FF491-3RK	FF499-3	FF494-3
FF49-4	FF491-3RK	FF499-3	FF494-3
FF49-6	FF491-6-RK	-	-

Replacement Seal Kits

Both replacement seal kits and individual o-rings and back-up rings are available for most models. Leakage between the female body half (coupling) and the male tip half (nipple) is an indication that the body o-ring needs replacement.



Dust Caps & Dust Plugs

Protective dust caps and dust plugs are available in rubber or metal in a variety of sizes. They should be used whenever possible to help reduce contamination of the hydraulic system and improve service life of the body half (coupling) and the mating tip half (nipple).

